

# CERTIFICATE OF CONSTANCY OF PERFORMANCE

**0905-CPR-00426**

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product(s)

**Product(s):** **Addressable Input/Output Units**

(refer to attached appendix for details and conditions)

**Placed on the market under the name or trade mark of:** **Eaton Electrical Systems Limited**  
Wheatley Hall Road, Doncaster  
South Yorkshire, DN2 4NB, United Kingdom

**and produced in the manufacturing plant(s):** ---  
**S.C. Cooper Industries Romania R.R.L. (SG- 15582)**  
Industrial Zone West, Street III, No 12  
Arad, Romania  
**Digital Lighting (Dongguan) Co. Ltd. (SG- 15583)**  
Xin Min Road, Xin Min District, Changan Town  
523879 Dongguan City, Guangdong Province, P. R. China

**Intended use:** **Fire Safety**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s):

**EN 54-18:2005+AC:2007**

**EN 54-17:2005+AC:2007**

Under System 1 for the performance set out in this certificate are applied and that the performance of the construction product is assessed to remain constant.

This certificate was first issued under **0359-CPR-00426** on **2014-10-14** and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

**Notified Body**

**0905**

**Certification Manager:** Dipl.-Ing. Roland Heine **Date Issue:** 2019-10-15

**Issue:** 1

**Signature:**

  
91925



This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.

# CERTIFICATE OF CONSTANCY OF PERFORMANCE

0905-CPR-00426

## APPENDIX TO: Certificate of Constancy of Performance 0905-CPR-00426

The details and conditions of use for the Addressable Input/Output Units, placed on the market under the name or trade mark of:

### Eaton Electrical Systems Limited

Wheatley Hall Road, Doncaster, South Yorkshire, DN2 4NB, United Kingdom

To be used in accordance with the supplier's installation instructions and in conjunction with the following bases, ancillaries, sounder tones and sensitivity settings (*where applicable*):

**Products compliant with EN54-17:2005+AC:2007 and EN54-18:2005+AC:2007:**

Model	Manufacturing Location	Description
COPIO	SG- 15582	Addressable 3 Channel Input / Output Unit with Short-circuit Isolator (Open Protocol)
MCIM-COP	SG- 15583	Addressable Micro Single Channel Input Unit with Short-circuit Isolator (Open Protocol)
CZMU352-IS	SG- 15582	Addressable Zone Monitor Unit with Short-circuit Isolator (Used with Intrinsically Safe Barrier *)
COPZMU-IS	SG- 15582	Addressable Zone Monitor Unit with Short-circuit Isolator (Open Protocol, used with Intrinsically Safe Barrier *)
COPZMU	SG- 15582	Addressable Zone Monitor Unit with Short-circuit Isolator (Open Protocol)
CIO351S	SG- 15582	Addressable 3 Channel Input / Output Unit with Short-circuit Isolator (Resets on Silence Alarms)
MIO324T	SG- 15582	Addressable 3 Channel Input / Output Unit with Short-circuit Isolator (Triple Address)

\* MTL5561 Intrinsically Safe Barrier

### Products compliant with EN54-17:2005+AC:2007:

Model	Manufacturing Location	Description
COPSI	SG- 15582	Addressable Spur Isolator Unit (Open Protocol)

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.

# CERTIFICATE OF CONSTANCY OF PERFORMANCE

0905-CPR-00426

## APPENDIX TO: Certificate of Constancy of Performance 0905-CPR-00426

### Branded Variants

Original Part Number	Alternative Part Number	Branded as	Description
CZMU352-IS	MIU871-IS	Menvier	Addressable Zone Monitor Unit with Short-circuit Isolator (Used with Intrinsically Safe Barrier *)
CIO351S	MIO324S	Menvier	Addressable 3 Channel Input / Output Unit with Short-circuit Isolator (Resets on Silence Alarms)

\* MTL5561 Intrinsically Safe Barrier

### Conditions of use:

Suitable for indoor applications.

### General Notes:

1. Evaluated under Intertek project number 101650853, 102891183.
2. No CE or other type approval is made or inferred outside of the attestation of conformity and the product performance as stipulated on this certificate.